

QUOTE

DATE

11th April 2025

Survey | Defense |
Autonomous Drone
Solutions



QUOTE No.

SGE11042025

SGE UAV Solution Pvt. Ltd.
Sector 4, Plot 28, Dwarka
New Delhi 110078, India
+91 88511 63142
www.sgedrones.com
ankit.sharma@sgedrones.com

Headquarters -

4 Mount Park Road, London,
UK W5 2RP www.sgedrones.com

Based on the discussions held yesterday with 17 Guards, SGE Limited will deliver the following package -

RANGE	RPAS MODEL	CAMERA	BATTERY	ENDURANCE / FLIGHT TIME	TAKE-OFF WEIGHT	MAX ALTITUDE
INR 1,99,000 PACKAGE*	PARROT ANAFI DUAL THERMAL COMBO	21 MP 4K	3500 MAH	26 MINS	386gms	4500 M

*Excluding 18% GST

PRODUCT IMAGES –





SGE Limited IS THE PREFERRED DISTRIBUTOR FOR THE ABOVE PRODUCT. GST NUMBER 19AAHCR7370L1ZP FOR DTL. SGE LIMITED IS INCORPORATED IN THE UNITED KINGDOM AND IS JOINT VENTURE PARTNERED WITH DTL TO CONDUCT ITS INDIA BUSINESS

PAYMENT TERMS – CASH ON DELIVERY

DELIVERY DEADLINE – IS DEPENDENT ON WHEN THE AIR ROUTE WITH DUBAI ARE OPENED FOR OPERATION..

INCLUDED – DOOR STEP DELIVERY, REMOTE TECHNICAL SUPPORT, ANNUAL MAINTAINENCE CONTRACT & 1 YEAR WARRANTY

ADDITIONAL SERVICES AT EXTRA COST – INSURANCE THROUGH ICICI LOMBARD, ONSITE TECHNICAL SUPPORT, TRAINING, REPAIRS

Quotation prepared by: **Ankit Sharma**
Founder, SGE Limited
 +91 8851163142
www.sgeindia.com

Signed by SGE Ltd

Signed by Recipient:
 Signature Print name

Duly authorised for and on behalf of the Recipient.



Specifications for Parrot Anafi Dual Thermal

Aircraft

- **Max Service Ceiling Above Sea Level**
4.5 km
- **Satellite Systems**
GPS & GLONASS
- **Weight**
Weight: 315 g (without battery)
- **Flight Time**
26 min
- **Max Ascent Speed**
4 m/s
- **Max Speed**
54 kmh (34 mph)
- **Operating Temperature**
-10 to 40°C
- **Wind Resistance**
50 kph (31 mph)
- **Dimensions**
Size folded: 21.8 x 6.9 x 6.4 cm
Size unfolded: 31.5 x 24.1 x 6.4 cm

Remote Controller

- **Battery Capacity**
2500 mAh 3.6 V
- **Supported Mobile Device Size**
screen size up to 10 inch
- **Transmission Distance**
2 km (1.25 mi) in the EU/UK 4 km (2.5 mi) in US
- **Video Transmission**
HD 720p
- **Weight**
386 g
- **Operating Frequency**
2.4 - 5.8 GHz

- **Transmission System**
Wi-Fi 802.11a/b/g/n
- **Running Time**
2h30 (Android) / 5h30 (iOS)
- **Ports**
USB-C (Charge), USB-A (Connection)
- **Size**
folded: 9.4 x 15.2 x 7.1 cm
Unfolded: 15.2 x 15.2 x 11.7 cm

Battery

- **Capacity**
2700 mAh
- **Max Charging Power**
24 W
- **Type**
High Density Lipo (2 cells)
- **Voltage**
7.6 V
- **Weight**
125 g
- **Battery Life**
26 min
- **Charging Port:**
USB-C
- **Thermal Camera**
Field of Vision (horizontal)
57°
- **Photo format**
JPEG
- **Sensitivity**
<50 mK (0.050°C)
- **Video format**
MP4 (H264)

Sensor

- **Sensor**
FLIR LEPTON 3.5 microbolometer (radiometric)

- **Resolution**
160 x 120
- **Pixel Pitch**
12µm
- **Spectral Band**
8 - 14µm
- **Photo Resolution**
3264 x 2448 (4/3)
- **Photo Modes**
Single / Time-lapse / GPS Lapse
- **Scene Range (High Gain)**
-10° to +140°C
- **Scene Range (Low Gain)**
-10° to +400°C
- **Video Resolution**
1440 x 1080 at 9fps
- **Precision**
±5% max (High-gain) or ±10% max (Low-gain)

Camera

- **Image Stabilisation**
3-axis hybrid Mechanical
2-axis Roll / Tilt angles
- **Electronic (EIS)**
3-axis Roll/Pan/Tilt angles
- **Photo Formats**
JPEG, DNG (RAW)
- **Photo Resolutions**
Wide: 21MP (5344 x 4016) / 4:3 / 84° FOV Rectilinear: 16MP (4608x3456) / 4:3 / 75.5° FOV
- **Video Formats**
MP4 (H264)
- **Video Resolution**
4K Cinema (4096 x 2160 24 fps)
4K UHD (3840x2160 24/25/30 fps)
FHD (1920 x 1080 24 / 25 / 30 / 48 / 50 / 60 fps)
HD (1280 x 720 48/50/60 fps)

- **Zoom**
Lossless
up to x2.8 (FHD), up to x1.9 (2.7K),
up to x1.4 (4K UHD)
Standard: up to x3 (all resolutions)
- **Sensor**
1/2.4" CMOS
- **Aperture**
f/2.4
- **Shutter Speed:**
electronic shutter 1 to 1/10000s
- **ISO range**
100-3200
- **Focal Length**
(35 mm format equivalent): 23-69 mm (photo), 26-78 mm (video)
- **Max Bitrate Of Video Storage**
100 Mbps
- **FOV (Field Of View)**
69° (horizontal)

Gimbal

- **Controllable Range**
90° to +90° (180° total)

Charger

- **Dimensions**
9.4 x 2.8 x 6.1 cm
- **Input**
AC 100-240V, 50/60Hz, 1.5A (Max)
- **Output**
4 USB: DC 5V/6.8A (each 2.4A Max) 1 USB Quick Charge 3.0: 1 x DC 3.6V-6.5V/3A, 6.5V-9V/2A, 9V-12V/1.5A
- **Type**
4-port USB Charger
- **Weight**
198 g
- **Power**
52 W (Max)



GOVERNMENT OF INDIA
MINISTRY OF CORPORATE AFFAIRS

Central Registration Centre

Certificate of Incorporation

[Pursuant to sub-section (2) of section 7 and sub-section (1) of section 8 of the Companies Act, 2013 (18 of 2013) and rule 18 of the Companies (Incorporation) Rules, 2014]

I hereby certify that SGE UAV SOLUTIONS PRIVATE LIMITED is incorporated on this Thirteenth day of April Two thousand twenty-one under the Companies Act, 2013 (18 of 2013) and that the company is limited by shares.

The Corporate Identity Number of the company is U72900DL2021PTC379956.

The Permanent Account Number (PAN) of the company is **ABFCS8960A** *

The Tax Deduction and Collection Account Number (TAN) of the company is **DELS88199G** *

Given under my hand at Manesar this Thirteenth day of April Two thousand twenty-one .



Digital Signature Certificate

SHIVARAJ C RANJERI

ASST. REGISTRAR OF COMPANIES

For and on behalf of the Jurisdictional Registrar of Companies

Registrar of Companies

Central Registration Centre

Disclaimer: This certificate only evidences incorporation of the company on the basis of documents and declarations of the applicant(s). This certificate is neither a license nor permission to conduct business or solicit deposits or funds from public. Permission of sector regulator is necessary wherever required. Registration status and other details of the company can be verified on www.mca.gov.in

Mailing Address as per record available in Registrar of Companies office:

SGE UAV SOLUTIONS PRIVATE LIMITED

Flat No. B-802, PLOT NO,28, PARIJAT APARTMENT,DWARKA

SECTOR-4,, DELHI, New Delhi, Delhi, India, 110075



* as issued by the Income Tax Department
